# FORD **COMMERCIAL RANGE**

TRANSIT - TRANSIT CUSTOM (VAN) - TOURNEO CUSTOM (BUS)





# TRANSIT CUSTOM **VAN**



 $\frac{2}{2}$ 

# **SMART** FEATURES

### **EXTERIOR FEATURES**

- Door mirrors with blind spot eliminator and integrated side indicator
- Daytime running lights
- · Remote central door locking
- · Passenger side sliding load door
- · Halogen headlights with courtesy delay
- Front and rear mudflaps
- Multi-piece rear bumper
- 15" steel wheels with half caps

### **INTERIOR FEATURES**

- 8-way adjustable driver's seat with armrest
- Two 2-litre bottle holders
- · Glovebox capable of A4 file storage
- Two 12-volt power points
- Dual front passenger seat with lift-up cushion and underseat storage
- Loadspace compartment lights
- Stowage box over instrument cluster with 12-volt power point





# **AMBIENTE**

**SPORT** 

### **EXTERIOR FEATURES**

- Sport styling kit includes front lower bumper skirt with unique fog light bezel, body colour side skirts, rear bumper skirt, sports style bonnet and rear door/liftgate stripes, side stripes with Transit branding, and front and rear wheel arch extensions with unique mudflaps
- 17" alloy wheels with bright/machined black finish
- · Rear-view camera with Trailer Hitch Assist
- Tyre Pressure Monitoring System

### **INTERIOR FEATURES**

- · Partial leather seat trim
- Dual front passenger's seat with fold out table
- · Lane-Keeping Alert with Driver Alert
- High series instrument cluster
- Cruise Control
- Heated Driver and Passenger seats

# PARKING DISTANCE SENSORS

Front and rear parking distance sensors provide an audible warning to help you judge parking distances. (Standard on Sport Van)

# INTEGRATED TIE-DOWN POINTS

Transit Custom Van features side-mounted DIN/ISO compliant cargo tie-down points. (Standard)

International model shown. Local specs may vary.









### LOAD-THROUGH BULKHEAD

A flip-up panel in the bulkhead provides load-through access to the underseat storage area, allowing items such as pipes and ladders of up to 3-metres in length to be transported securely.

(3.4-metres in LWB)

### SIDE CURTAIN AIRBAGS

Designed to provide additional protection to the driver and front seat passengers. (Standard on Sport Van, Optional on Ambiente)

# LINE UP | OPTIONS | FEATURES

### VAN SHORT WHEELBASE

Standard Roof **6.0**cu.m



# VAN LONG WHEELBASE

Standard Roof **6.8**cu.m



### **Short Wheelbase:**

Max. gross payload up to 1530kg Gross vehicle mass from 2600kg



### Long Wheelbase:

Max. gross payload up to 1 447kg Gross vehicle mass from 3 000kg



TRANSIT CUSTOM PANEL VAN						
Vehicle	Vehicle Description	Manual	Automatic			
AMBIENTE	TRANSIT CUSTOM 2.2 AMBIENTE LWB	Х				
SPORT	TRANSIT CUSTOM 2.2 SPORT SWB	х				

Short Wheelbase (SWB) Long Wheelbase (LWB)

FEATURES	AMBIENTE	SPORT
	LWB	SWB
Powertrain		
2.2L TDCi Duratorq	Х	Х
Power & Torque		
92kW & 350Nm	X	
114kW & 385Nm		X
Wheels		
16" Steel - 215/65 R15	Х	
17" Alloy - 215/60 R17		X
Tyre Pressure Monitor System		X
Convenience		
Cruise Control		Х
Park Distance Sensors – Front and Rear		Х
Rear view camera with Mirror Display		Х
Load Area Protection Kit including sealed easy clean load floor		Х
Electric Windshield Defroster		Х
Exterior Lighting		
Halogen headlamps	X	Х
Daytime running lamps	Χ	Х
Front fog lights		Х
Styling		
Passenger's sliding side load door	Х	X
Standard cloth seats	Х	
Partial leather seats		Х
Sport Van Styling kit – Front lower bumper skirt with unique fog light bezel, body colour side skirts, rear bumper skirt , exhaust trim, front and rear wheel arch extensions		Х
Safety		
Driver Airbag	Х	Х
Passenger Airbag		Х
Electronic Stability Programme (ESP)	X	Х
OPTIONS		
Cruise Control	Χ	
Dual Side Load Doors	Х	Х
Electric Windshield Defroster	X	
Front fog lights	X	
Load Area Protection Kit including sealed easy clean load floor	X	
Manual Aircon	X	Х
Passenger Airbag	Х	
Power point socket front & rear – 12V	X	Х
Privacy Glass	X	Х
Rear view camera with Mirror Display	X	
Roof Rack	X	
Trailer Tow Attachments with Trailer Sway Control	X	X
Tyre Pressure Monitor System	Х	

# SMART DESIGN 90° 180°

# UNRESTRICTED ACCESS

Transit Custom's rear cargo doors can be locked open at 90°, or openend fully to 180° for unrestricted access

A: 1778mm B: 1755mm C: 3 400mm



**SWB 4 973mm** 

LWB 5 339mm

# **COLOURS & WHEELS**



Frozen White (Solid)



Moondust Silver (Metallic\*)



Diffused Silver (Metallic\*)



Magnetic (Metallic\*)



Blue Metallic (Metallic\*)



Orange Glow (Metallic\*)



Race Red (Solid)



Blazer Blue (Solid)

\*Metallic body colours are options at extra cost.

**Note:** The images are used to illustrate body colours only, and may not reflect the vehicle described. Colours and trims reproduced within this brochure may vary from the actual colours, due to the limitations of the printing processes used.



6.5 x 15" Steel road wheels



7.5 x 17" Alloy Style (Available on Sport Van)

# TOURNEO CUSTOM **BUS**



# **SMART** FEATURES

### **EXTERIOR FEATURES**

- 16" Steel wheels
- · Dual side load door
- Daytime running lights
- Front fog lamps
- · Front & rear parking aid

### **INTERIOR FEATURES**

- · Heated driver & passenger seats
- · Leather-wrapped steering wheel
- 12V power points
- Bluetooth<sup>®</sup>
- Driver & passenger airbag
- Cruise control
- ISOFIX

12



# **AMBIENTE**



# SLIDING DOORS AND RUNNING BOARDS

Running boards fitted below the two sliding side doors make getting in and out even easier. while enhancing TOURNEO CUSTOM's luxurious style. (Standard)

# INNOVATION STOWAGE SOLUTIONS

Functional storage options include cupholders and a stowage area concealed beneath a neat roller cover (only available with single front-passenger seat). Large front door pockets and a lockable globebox. (Standard)

# ISOFIX CHILD-SEAT FIXING POINTS

For enhanced passenger safety, three ISOFIX child-seat attachment points are available on the centre and driver's side seats of the second row, and the centre seat of the third row.







# REAR-VIEW CAMERA WITH TRAILER HITCH ASSIST

Select reverse gear and the image form the rear-view camera displays automatically. Marker lines overlaid on the camera image indicate where the vehicle is heading.

# LIMITED



### **EXTERIOR FEATURES**

- Dual Side Load Doors
- Halogen headlamps
- Daytime running lamps
- Front fog lights
- Front fog lights with adaptive cornering wheels (Automatic Models only)
- 16" Alloy wheels
- Heated mirrors
- 17 " Alloys wheels (Automatic Models only)

### **INTERIOR FEATURES**

- · Leather gearknob
- Lockable glovebox
- Rear seat recline
- Tyre Pressure Monitoring System (TPMS)
   (Automatic Models only)
- Driver & passenger airbag
- Cruise control
- ISOFIX

### **EXTERIOR FEATURES**

- Roof racks (standard on manual, optional on automatic)
- Towbar (standard on manual, optional on automatic)
- 17 " alloys (Automatic Models only)
- Privacy Glass

### **INTERIOR FEATURES**

- Manual A/C
- · Rear-view camera with mirror display
- Electrochromatic mirror
- Privacy glass
- SYNC®3 with Voice control and Bluetooth® (Automatic Models only)
- · 8" touchscreen (Automatic Models only)
- Tyre Pressure Monitoring System (TPMS)
   (Automatic Models only)
- Partial Leather seats (standard on LTD manual and optional on automatic)

# LINE UP | OPTIONS | FEATURES

### SHORT WHEELBASE

### LONG WHEELBASE

8 seats (4 972mm)







SWB Bus - Available in Limited spec only.

	TOURNEO CUSTOM BUS					
Vehicle	Vehicle Description	Manual	Automatic			
AMBIENTE	TOURNEO CUSTOM 2.2 AMBIENTE LWB	Х				
TOTALO	TOURNEO CUSTOM 2.2 TREND LWB	Х				
TREND	TOURNEO CUSTOM 2.0 TREND LWB		Х			
LIMITED	TOURNEO CUSTOM 2.2 LIMITED SWB	Х				
LIMITED	TOURNEO CUSTOM 2.0 LIMITED SWB		х			

Short Wheelbase (SWB) Long Wheelbase (LWB)

FEATURES	AMBIENTE TREND			LIMITED		
	SWB 2.2 MANUAL	LWB 2.2 MANUAL	LWB 2.0 AUTO	SWB 2.2 MANUAL	SWB 2.0 AUTO	
Powertrain	MARTOAL	MARTOAL	AGIG		AUTO	
2.2L TDCi Duratorq	X	Х		Х		
2.0L Diesel Engine			X		X	
Power & Torque						
74kW & 310Nm	X					
92kW & 350Nm		Х				
114kW & 385Nm			.,	X		
95kW & 385Nm			Х			
125kW & 390Nm Wheels					Х	
16" Steel - 215/65 R15	Х					
16" Alloy - 215/65 R16	^	Х		X		
17" Alloy - 215/60 R17		Λ	Х	Λ	X	
Tyre Pressure Monitor System			X		X	
Infotainment			Α		A	
SYNC 3 Lite with 10 speakers; 6,5" screen			Х			
SYNC 3 with 10 speakers; 8" touch screen					X	
Convenience						
Cruise Control	Х	Х	Х	Х	Х	
Manual Aircon				X	X	
Park Distance Sensors – Front and Rear	Х	Х		X		
	Α	Λ		X		
Rear view camera with Mirror Display						
Trailer Tow Attachments with Trailer Sway Control				Х		
Exterior Lighting	V			V	V	
Halogen headlamps	X	X	X	X	X	
Front fog lights Front fog lights with adaptive cornering	Х	Х	V	Х	V	
Daytime running lamps	X	Х	X	X	X	
Styling	^	^	^	^	^	
Dual Side Load Doors	Х	Х	Х	Х	Х	
Running Boards	X	X	X	X	X	
Roof Rack			,	X		
Privacy Glass		Х	Х	Х	Х	
Standard cloth seats	Х	Х	Х		X	
Partial Leather seats				Х		
Number of Seats	8	8	8	8	8	
Safety						
Driver Airbag	X	X	X	X	X	
Passenger Airbag	X	Х	X	Х	X	
Curtain Airbags	X	Х	X	Х	X	
Side Airbags	X	Х	X	Х	X	
ISOFIX child seat – 3 attachments – Centre (2nd and 3rd	X	Х	X	X	X	
row) and drivers side (2nd row) seat	X	X	X	V		
Electronic Stability Programme (ESP)  OPTIONS	X	X	X	Х	Х	
16" Alloy - 215/65 R16	Х					
-	Λ					
Adaptive Cruise Control with Collision Mitigation			Х		X	
Blind Spot Detection System (BLIS); Lane-departure			X		X	
Warning (LDW) with Lane-keeping Aid (LKA) High Intensity Discharge (HID) Lamps with static bending						
and LED Day Time Running Lights			X		X	
Manual Aircon & Rear Seat Climate Control	Х	Х	X			
Partial Leather seats	^	^	^	X	Opt	
			V	^		
Power point socket - 230V	,,		Х		X	
Privacy Glass	Х					
Rear view camera (Including Park Distance Sensors – Front			X		X	
and Rear )						
Roof Rack	Х	Х				
Roof Rack with Full Length Running Boards			X		Х	
SYNC 3 with 8" Touch Screen			X			
Trailer Tow Attachments with Trailer Sway Control	V	V	Х		V	
rane rom retaerments man rane on a good or	X	X	X		X	

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specification either temporarily or permanently without incurring any liability to any prospective purchaser or purchasers.

# **SMART DESIGN**



### FLEXIBLE REAR SEATS WITH TILT FUNCTION

Each seatback can fold forward to create a flat workspace. The whole seat can fold forward again to take up minimal space. For more room, each seat can be removed. The flexibility of this new seating system can create over 30 different seating and loadspace configurations to suit any occasion.



### AS FLEXIBLE AS YOU NEED IT TO BE

Whatever you're carrying, from passengers and luggage to unexpected loads, the Tourneo Custom is versatile enough to find space for them all. Use all seven or eight seats to accommodate occupants in luxurious comfort. Or fold, tumble or stow the second- and third-row seats in more than 30 different ways to create limousine-like space or to maximise the luggage area.

# **COLOURS & WHEELS**







Moondust Silver (Metallic\*)



Diffused Silver (Metallic\*)



Magnetic (Metallic\*)



Blue Metallic (Metallic\*)



Orange Glow (Metallic\*)



Race Red (Solid)



Blazer Blue (Solid)

\*Metallic body colours are options at extra cost.

**Note:** The images are used to illustrate body colours only, and may not reflect the vehicle described. Colours and trims reproduced within this brochure may vary from the actual colours, due to the limitations of the printing processes used.



7.5 x 17" Alloy Style (Available on Sport Van)



6.5 x 16" Alloy Style A (Available on Trend Bus and Limited Bus)

Ambiente wheels might vary depending on derivative, please refer to spec sheet for info.

# PANEL VAN & CHASSIS CAB



# **SMART** FEATURES

# **EXTERIOR FEATURES**

- 16" Steel Wheels
- · Halogen head lights
- Follow-me-home lighting
- Rear door edge reflector strip
- Load compartment floor tie down hoops

### **INTERIOR FEATURES**

- Easy-clean rubber floor covering in cab
- Driver's seat 4-way adjustable
- Rake- and reach-adjustable steering column
- Dual passenger seats with fold-out table and under seat stowage compartment
- Electronically-operated front windows
- · Remote central locking
- Full steel bulkhead








# CHASSIS CAB

# **EXTERIOR FEATURES**

- 16" Steel Wheels
- · Halogen head lights
- Follow-me-home lighting
- Optional Aluminium wide float

### **INTERIOR FEATURES**

- Easy-clean rubber floor covering in cab
- Driver's seat 4-way adjustable
- Rake- and reach-adjustable steering column
- Dual passenger seats with lift-up seat stowage
- Electronically-operated windows
- · Remote central locking







# **CHASSIS DESIGN**

Throughout the design process, Ford has worked closely with the body-building industry to ensure that all standard body types, and most specialist conversions, can be fitted with little or no modifification required.



# **SMART** FEATURES

# EVEN BETTER RIDE AND HANDLING

The Transit's renowned driving qualities have been fine-tuned with stiffer suspension mounting bushes and brackets, and a newly-designed anti-roll bar.



# FOLD-OUT TABLE AND UNDERSEAT STOWAGE COMPARTMENT

The front dual passenger seat features a fold-out table, dual cup holders and an underseat stowage compartment large enough to hold a toolbox.







# HEAVY-DUTY HEADBOARD

Substantial all-steel powder-coated headboard provides protection to the cab and its occupants. Strong construction allows ladders and heavy items to be secured with ease. Part of option float on TRANSIT Single Chassis Cab.



LARGE BODY DOOR MIRRORS

Standard-width door mirrors accommodate body sizes up to 2 170mm. Large blind-spot mirrors are incorporated for excellent visibility.

### LOAD TIE-DOWNS

Pull-up load retention rings sit flush with the load platform when not in use.

# LOADSPACE LIGHTING

New interior loadspace lights provide greater visibility when working inside the vehicle.

# LINE UP | OPTIONS | FEATURES



# OPTIMISED LOADSPACE AND PAYLOAD

The Transit delivers exceptional load capacity. You'll find up to 13.8m3 of cargo space to fill. The flat load floor and near vertical side walls help you make the most of all that space, with room to carry loads of up to 4 374mm in length and up to 2 070mm in height. Access to the load area is quick and easy too, thanks to a wide-opening sliding side door, full-height rear doors that can be opened to a full 270° (standard on Long Wheelbase and Extended Body) and a built-in rear bumper step.



TRANSIT PANEL VAN & CHASSIS CAB						
Vehicle	Vehicle Description	MWB	LWB-Extended (Jumbo)			
DANEL VAN	TRANSIT 2.2 DIESEL PANEL VAN (330M)	Х				
PANEL VAN	TRANSIT 2.2 DIESEL PANEL VAN (470E)		Х			
CHACCIC CAD	TRANSIT 2.2 DIESEL CHASSIS CAB (330M)	Х				
CHASSIS CAB	TRANSIT 2.2 DIESEL CHASSIS CAB (470E)		X			

Medium Wheelbase (MWB) Long Wheelbase (LWB)

FEATURES	PANE	LVAN	CHASS	SIS CAB
	MWB	LWB	MWB	LWB
Powertrain				
2.2L TDCi Duratorq	Х	Х	Х	Х
Power & Torque				
92kW & 350Nm	Х		Х	
114kW & 385Nm		Х		Х
Transmission				
6-Spead Manual	Х	Х	Х	Х
Wheels				
Front Wheel Drive	Х		Х	
Rear Wheel Drive		Х		Х
16" Steel - 235/65R16	Х		Х	
16" Steel - 195/75R16C		Х		Х
Convenience				
Heater – Recirculation	Х	Х	Х	Х
Driver and Passenger sunvisor	Х	Х	Х	Х
Tinted Glass	X	Х	Х	X
Electrically-operated front windows with one-touch lowering on driver's side	Х	Х	Х	Х
Rear view mirror	Х	Х	Х	Х
Rear cargo doors: 180º opening	X			
Rear cargo doors: 270º opening (Inc magnetic door retentioners)		Х		
2 x 12V Power connections	X	Х	Х	X
Exterior Lighting				
Headlights – Projector-style halogen reflector lights (Quad Beam)	Х	Х	Х	X
Daytime running lamps	X	Х		
Follow-me-home lighting	Х	Х	Х	Х
Styling				
Passenger's sliding side load door	Х	Х		
Partial Floor Cover - Rubber Insulated Easy-Clean	X	Х	Х	Х
Standard cloth seats	X	Х	Х	X
Roof mounted light	X	Х		X
Rear door edge reflector strip	X	Х		
Safety				
Driver Airbag	X	Х	Х	Х
Traction Control	X	Х	Х	Х
Electronic Stability Programme (ESP)	X	Х	Х	Х
Perimeter Anti-Theft Alarm	X	Х	Х	Х
Load Compartment				
Bulkhead – full width steel, fixed and unglazed	Х	Х		
Load compartment floor tie down hoops	10	12		
OPTIONS				
Comfort Pack - includes Front Manual Airconditioner & Front Passenger Airbag	Х	Х	Х	Х
Rear view camera with Front & Rear Parking Distance sensors	X	Х		
Standard Aluminium wide float			Х	Х
Trailer Tow Attachments with Trailer Sway Control	Х	Х		

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specification either temporarily or permanently without incurring any liability to any prospective purchaser or purchasers.

# **SMART** DESIGN

### VAN MEDIUM WHEELBASE

Europallet (1000mm load) Capacity: 4 Pallets

Medium Roof (H2) FWD

10.1/9.6<sub>m³</sub>

### VAN EXTRA LONG WHEELBASE

Europallet (1000mm load) Capacity: 5 Pallets

High Roof (H3)RWD

15.1<sub>m³</sub>

Measured in cubic metres and with a full bulkhead fitted.

### CHASSIS CAB MEDIUM WHEELBASE

Single rear wheel | FWD Max load length @ floor (with Bulkhead): 3 044mm

1325(kg) Gross Payload

Chassis frame length: 3 144mm


3300(kg) GVM


### CHASSIS CAB EXTRA LONG WHEELBASE


Dual rear wheel | RWD Max load length @ floor (with Bulkhead): 4 217mm


2 270 (kg) Gross Payload

Chassis frame length: 4 151mm 4700(kg) GVM









# **COLOURS & WHEELS**



Blazer Blue (Solid)



(Metallic\*)



Deep Impact Blue (Metallic\*)



Race Red (Solid)



Frozen White (Solid)



Moondust Silver (Metallic\*)

\*Metallic body colours are options at extra cost. Colours applicable to TRANSIT VAN, and TRANSIT SINGLE CHASSIS CAB.

**Note:** The images are used to illustrate body colours only, and may not reflect the vehicle described. Colours and trims reproduced within this brochure may vary from the actual colours, due to the limitations of the printing processes used.



Blazer Blue (Solid)



Magnetic (Metallic\*)



Deep Impact Blue (Metallic\*)



Race Red (Solid)



Frozen White (Solid)



Moondust Silver (Metallic\*)



Ambiente 16" Steel wheel - 205/60 R16

Aftermarket styled wheel cover shown - South African specs will vary see specification sheets.



### FORD PROTECT

Ford **PROTECT** offers a holistic suite of service, maintenance, warranty and roadside-assistance products aimed at keeping your new TRANSIT or TOURNEO in perfect working condition.











**New Vehicle Limited Warranty** – Every new Ford product comes with a 4-yr/120 000km New Vehicle Limited Warranty (NVLW). **Corrosion Warranty** – Cover lasts for 5-yr/unlimited km.

**Roadside Assistance** – Cover lasts for 4-yr/unlimited km cover for mechanical, electrical, flat tyres, batteries, medical emergencies and towing, if needed, to the nearest Ford dealership.

Extended cover options are available

All **TRANSIT** and **TOURNEO** derivatives retailed on or after 01 November 2021 will not have a service plan included in the vehicle in line with the Competition Commission's Guidelines for the Automotive Aftermarket Industry. Service and maintenance plans can be purchased directly from the Finance and Insurance Manager at any Ford Authorised dealership. Please ensure you follow your service booklet for your service intervals. Service Plan covers all scheduled servicing except friction materials and wear items, i.e. brake pads and wiper blades.

**Extended Warranty:** An extended Mechanical Warranty may be purchased prior to the expiry of the 4-yr / 120 000km New Vehicle Limited Warranty (NVLW). Extension are available for up to 7 years or 200 000kms from the original warranty start date. **Extended Service Plan:** Extended Service plans are available for up to 8 years or 165 000kms from the original vehicle warranty start date.

Maintenance Plans: Ford Protect has a variety of maintenance plan options for up to 7 years or 150 000kms.

**Extended Roadside Assistance:** Available option for an additional 1 or 2 years Roadside Assistance.

\*Consult a Ford Franchise Dealer or www.ford.co.za for more information regarding Ford PROTECT plans. Terms & Conditions apply.

The declared fuel consumption and  $CO_2$  emissions figures were achieved during technical laboratory testing in accordance with the legislated technical specifications (SANS 20101: 2006/ECE R101: 2005 as last amended) and validated and approved by the UK Vehicle Certification Authority (VCA). Fuel consumption and  $CO_2$  emissions figures are used to compare different vehicle types under uniform conditions, and are not necessarily indicative of real-life driving conditions. Note that the actual fuel consumption and emissions levels will depend on many factors and are directly affected by the length of the journey; number of passengers and the amount of luggage carried; individual driving style; road conditions; weather conditions; vehicle age, mileage, condition and standard of maintenance; use of vehicle features such as air conditioning; and any modifications to the vehicle. Your fuel economy will vary based on these and other factors and, for these reasons, many drivers may not achieve the EU fuel economy figures in day-to-day driving, although the vehicle is technically capable of doing so.


Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specifications either temporarily or permanently, which will be communicated to the Ford Dealer Network. E and OE.



TDANSIT CUSTOM (WAN)	VA	N .
TRANSIT CUSTOM (VAN)	2.2 Ambiente LWB MP	2.2 Sport SWB HP
NGINE		
уре	Duratorq TDCi 2.2	Duratorq TDCi 2.2
ylinders	4 in line	4 in line
isplacement (cm³)	2 198	2 198
ower (kW @ rpm)	92 @ 3 500	114 @ 3 500
orque (Nm @ rpm)	350 @ 1450	385 @ 1600
ore and stroke (mm)	86 x 94.6	86 x 94.6
uel injection	Common-rail direct fuel injection	Common-rail direct fuel injection
uel requirement	Diesel	Diesel
mart regenerative charging	-	Std
mission level	Euro Stage IV	Euro Stage V
RANSMISSION		
уре	6-speed manual	6-speed manual
ERFORMANCE		
uel economy – NEDC L/100km (combined cycle)*	7.3	6.6
O₂ emission – combined (g/km)*	192	174
pp speed km/h	157	157
TEERING		
ydraulic Power-Assisted Steering (HPAS)	Std	Std
teering wheel adjustment – tilt and telescopic	Std	Std
urning circle (kerb-to-kerb) (m)	12.8	12.2
urning circle (wall-to-wall) (m)	13.4	12.65
USPENSION		
ront suspension: independent MacPherson struts, variable-rate coil springs, stabiliser bar and gas-pressurised shock absorbers	Std	Std
ear suspension: single leaf springs, gas-pressurised shock absorbers	Std	Std
orque Vectoring Control (TVC)	Std	Std
RAKES		
ront ventilated discs	308mm x 33mm	288mm x 33mm
ear solid discs	308mm x 16mm	288mm x 16mm
VHEELS AND TYRES		
	16" Steel –	17" Alloy –
/heels	215/65 R16	215/60 R17
yre Pressure Monitoring System	Opt	Std
pare wheel	Std	Std
SAFETY AND SECURITY		
Driver airbag	Std	Std
assenger airbag	Opt	Std
lectronic Stability Programme (ESP)		
ncludes:		
Anti-lock Braking System (ABS)		
Electronic Brakeforce Distribution (EBD) Hill Launch Assist (HLA)	Std	Std
Adaptive Load Control	Stu	Stu
Emergency Brake Warning		
Rollover Mitigation (ROM)		
Emergency Brake Assist (EBA)		
railer Sway Control (TSC) (activated when towbar fitted at Ford Dealer)	Opt	Opt
entre high-mounted rear stop lamp	Std	Std
emote power central double locking	Std	Std
rive-away locking with crash unlocking	Std	Std
erimeter anti-theft alarm	Std	Std
lectrochromatic mirror	Opt	Std
arking distance sensors – front and rear	Opt	Std
ear-view camera with mirror display	Opt	Std
NTERIOR		
eats		
tandard cloth seats	3	-
port seats (partial leather)®	-	3
river seat armrest	Std	Std
	-	Std
ray table front seat	Std	Std
	Ju	
river and passenger seat with lumbar support	-	Std
river and passenger seat with lumbar support river and passenger heated seat		Std Std
river and passenger seat with lumbar support river and passenger heated seat river seat – 4-way manually adjustable with cushion tilt	-	
river and passenger seat with lumbar support river and passenger heated seat river seat – 4-way manually adjustable with cushion tilt assenger's seat – 2-way manually adjustable	- Std	Std
river and passenger seat with lumbar support river and passenger heated seat river seat – 4-way manually adjustable with cushion tilt assenger's seat – 2-way manually adjustable ront 2-way head restraints	- Std Std Std	Std Std Std
river and passenger seat with lumbar support river and passenger heated seat river seat – 4-way manually adjustable with cushion tilt assenger's seat – 2-way manually adjustable ont 2-way head restraints eatbelt – black	- Std Std	Std Std
river and passenger seat with lumbar support river and passenger heated seat river seat – 4-way manually adjustable with cushion tilt assenger's seat – 2-way manually adjustable ont 2-way head restraints eatbelt – black ccupant Restraints	- Std Std Std Std	Std Std Std Std
river and passenger seat with lumbar support river and passenger heated seat river seat – 4-way manually adjustable with cushion tilt assenger's seat – 2-way manually adjustable ont 2-way head restraints eatbelt – black ccupant Restraints ont 3-point seatbelts with pre-tensioners and load limiter	- Std Std Std Std	Std Std Std Std Std
river and passenger seat with lumbar support river and passenger heated seat river seat – 4-way manually adjustable with cushion tilt assenger's seat – 2-way manually adjustable ont 2-way head restraints eatbelt – black ccupant Restraints ont 3-point seatbelts with pre-tensioners and load limiter eltminder – driver and passenger seats	- Std Std Std Std	Std Std Std Std
river and passenger seat with lumbar support river and passenger heated seat river seat — 4-way manually adjustable with cushion tilt assenger's seat — 2-way manually adjustable ont 2-way head restraints eatbelt — black ccupant Restraints ont 3-point seatbelts with pre-tensioners and load limiter eltminder — driver and passenger seats lindows	- Std Std Std Std Std	Std Std Std Std Std Std
river and passenger seat with lumbar support river and passenger heated seat river seat – 4-way manually adjustable with cushion tilt assenger's seat – 2-way manually adjustable ont 2-way head restraints eatabelt – black ccupant Restraints ont 3-point seatbelts with pre-tensioners and load limiter eltminder – driver and passenger seats indows over windows with driver's one-touch down	- Std Std Std Std Std Std Std Std	Std
river and passenger seat with lumbar support river and passenger heated seat river seat — 4-way manually adjustable with cushion tilt assenger's seat — 2-way manually adjustable ont 2-way head restraints eatbelt — black ccupant Restraints ont 3-point seatbelts with pre-tensioners and load limiter eltminder — driver and passenger seats lindows over windows with driver's one-touch down ectric windshield defroster	- Std Std Std Std Std	Std Std Std Std Std Std
ray table front seat river and passenger seat with lumbar support river and passenger heated seat river seat – 4-way manually adjustable with cushion tilt assenger's seat – 2-way manually adjustable ront 2-way head restraints eatbelt – black ccupant Restraints ront 3-point seatbelts with pre-tensioners and load limiter eltminder – driver and passenger seats //indows over windows with driver's one-touch down lectric windshield defroster riterior Floor	- Std Std Std Std Std Std Std Std	Std

	VAN			
TRANSIT CUSTOM (VAN)	2.2 Ambiente LWB MP	AN  2.2 Sport SWB HP		
INTERIOR (CONT.)	2.2 Alliblette LWB MF	2.2 Sport 5 WB HF		
Interior Roof				
Driver and passenger sun visor	Std	-		
Driver and passenger sun visor with illuminated vanity mirror	-	Std		
Passenger folding grab handles	-	Std		
Sunglass holder (driver) and overhead console	-	Std		
Load Compartment  Bulkhead with load-through hatch	Std	Std		
Complete rear trim board (included in load area protection kit)	Opt	Std		
Sealed easy-clean load floor (included in load area protection kit)	Opt	Std		
Load area protection kit (including 8 tie-down loops)	Opt	Std		
Stowage				
Bottle holder – twin 2-litre bottle capacity, facia-mounted	Std	Std		
Glovebox storage capacity with lid – A4 file	Std	-		
Locking glovebox  Man paylete, front documents	-	Std		
Map pockets – front door storage  Storage compartment – driver's side on facia top with lift-up lid	Std Std	Std Std		
Environmental Control	Stu	Siu		
Air conditioning – front, filter-air pollen purifier	Opt	Opt		
Heater – recirculation	Std	Std		
Gearshift				
Leather gearknob <sup>o</sup>	-	Std		
Moulded gearknob	Std	-		
Steering Wheel				
Steering wheel – 4-spoke, polyurethane	Std	-		
Steering wheel – 4-spoke, leather® (included with cruise control)	Opt	Std		
Dual note electric horn INSTRUMENTS AND CONTROLS	Std	Std		
Trip computer (distance to empty, instanteous and average fuel consumption, average speed, outside temperature)	Std	Std		
12V power point – located on instrument panel	Opt	Opt		
In-Car Entertainment (ICE)	Spt	- Spt		
Radio; 2 speakers; steering-wheel-mounted audio controls; USB connector; Aux input; Bluetooth®	Std	Std		
Cruise Control				
Cruise control	Opt	Std		
Steering-wheel-mounted controls	Opt	Std		
INTERIOR LIGHTING	S. I.			
Courtesy lights – header-mounted, front with theatre-dimming	Std -	- Std		
Courtesy lights – header-mounted, front with theatre-dimming + map lights  Load space compartment lights – LED	Opt	Opt		
Battery saver – 30 minutes	Std	Std		
EXTERIOR				
Passenger's sliding side load door	Std	Std		
Dual side sliding load doors	Opt	Opt		
Unglazed hinged rear doors, 180° opening, positive stop at 90° and click-lock functionality	Std	Std		
Door handles and cargo door handles – black	Std	-		
Door handles and cargo door handles – body colour	-	Std		
Door mirrors – blind spot eliminator and integrated side indicator	Std	Std		
Door mirrors – power-adjustable, power folding – black  Door mirrors – power-adjustable, power folding – body colour	Std -	- Std		
Bodyside mouldings – grey	Std	- -		
Bodyside mouldings – body colour	-	Std		
Front bumper – partial body colour	Std	-		
Front bumper – full body colour	-	Std		
Rear bumper – self colour	Std	-		
Rear bumper – full body colour	-	Std		
Front mudflaps	Std	Std		
Rear mudflaps  Sport van styling kit – front lower hymner skirt with unique for lamp bazel, body-colour side skirts, rear hymner skirt.	Std	-		
Sport van styling kit – front lower bumper skirt with unique fog lamp bezel, body-colour side skirts, rear bumper skirt, exhaust trim, front and rear wheel-arch extensions	-	Std		
Halogen headlamps	Std	Std		
Manual headlamp levelling	Std	Std		
Daytime running lights	Std	Std		
Follow-me-home headlamps (courtesy delay, 30 second duration)	Std	Std		
Front fog lamps	Opt	Std		
Variable windshield wipers  Trailer town attractments	Std	Std		
Trailer tow attachments  Roof rack	Opt	Opt -		
Privacy glass	Opt Opt	- Opt		
	Ορι	Орг		

TDANGIT GUGTON (MAN)	VAN			
TRANSIT CUSTOM (VAN)	2.2 Ambiente LWB MP	2.2 Sport SWB HP		
DIMENSIONS (MM) – EXTERIOR				
Overall length – A	5 339	4 972		
Overall width with mirrors – B	2 272	2 272		
Overall width with folded back mirrors	2 080	2 080		
Overall width without mirrors – K	1986	1986		
Overall height (height dimensions show the range from minimum to maximum of a fully laden vehicle to unladen vehicle) – C	1909 – 2022	1900 – 2020		
Wheelbase – E	3 300	2 933		
Front of vehicle to front wheel centre – D	1 011	1 011		
Rear of vehicle to rear wheel centre – F	1028	1028		
Side door entry width – G	1030	1030		
Side load door entry height – L	1 324	1324		
Rear door/tailgate entry width – H	1404	1404		
Rear door/tailgate entry height – J	1347	1347		
Front track	1736	1736		
Rear track	1720	1720		
Ground clearance at centre	227 – 273	231 – 277		
Ground clearance at front axle	159 – 176	160 – 175		
Fround clearance at rear axle	119 – 137	118 – 137		
DIMENSIONS (MM) – INTERIOR				
Maximum load space length (with bulkhead) – N	2 922	2 555		
Maximum load space length (with load-through bulkhead) – N	3 452	3 085		
Maximum load space width — K	1775	1775		
oad space between wheel arches — I	1390	1390		
oad floor to roof – M	1406	1406		
oading height (height dimensions show the range from minimum to maximum of a fully laden vehicle to unladen vehicle) – 0	457 – 589	450 – 583		
oad space (with bulkhead) – P	6.83/6.23 (m³)	5.95/5.36 (m³)		
DIMENSIONS – OTHER				
Gross vehicle mass (kg)	3 325	2900		
Ground clearance (mm)	241 – 275	242 – 282		
Gross combined mass (kg)	5 125	4600		
Nading depth	600	600		
Fuel tank (L)	80	80		
Kerb weight (kg)	1820	1745		
Gross payload (kg)	1505	1155		
Towing mass (braked) (kg)	1800	1700		
owing mass (unbraked) (kg)	750	750		
ORD PROTECT				
Service Intervals	15 000km	15 000km		
Roadside Assistance	4-yr/unlimited km	4-yr/unlimited km		
Warranty (NVLW)	4-yr/120 000km	4-yr/120 000km		
Corrosion Warranty	5-yr/unlimited km	5-yr/unlimited km		



All Transit and Tourneo derivatives retailed on or after 01 November 2021 will not have a service plan included in the vehicle in line with the Competition Commission's Guidelines for the Automotive Aftermarket Industry. Service and maintenance plans can be purchased directly from the Finance and Insurance Manager at any Ford Authorised dealership.

	MT			AT		
TOURNEO CUSTOM (BUS)	2.2 Ambiente	2.2 Trend LWB	2.2 Limited	2.0 Trend LWB	2.0 Limited	
130111120 3331 3111 (233)	LWBLP	MP	SWB HP	MP	SWB HP	
ENGINE						
Туре	Duratorq TDCi 2.2	Duratorq TDCi 2.2	Duratorq TDCi 2.2	2.0L CR TC DSL	2.0L CR TC DSL	
Cylinders	4 in line	4 in line	4 in line	4	4	
Displacement (cm³)	2 198	2198	2 198	1995	1995	
Power (kW @ rpm)	74 @ 3 500	92 @ 3 500	114 @ 3 500	95kW	125kW	
Torque (Nm@rpm)	310 @ 1 300	350 @ 1450	385@1600	385Nm	390Nm	
Bore and stroke (mm)	86 x 94.6	86 x 94.6	86 x 94.6	84,0 /90,0	84,0 / 90,0	
Fuel injection	Common-rail direct	Common-rail direct	Common-rail direct	Common rail direct	Common rail direct	
·	fuel injection					
Fuel requirement (All Diesel vehicles require low-sulphur grade diesel of 50ppm or lower)	Diesel	Diesel	Diesel	Diesel	Diesel	
Emission level	Euro Stage IV	Euro Stage IV	Euro Stage IV	Euro 6.2 Emissions	Euro 6.2 Emissions	
TRANSMISSION						
Туре	6-speed manual	6-speed manual	6-speed manual	6-speed Auto	6-speed Auto	
PERFORMANCE						
Fuel economy – NEDC L/100km (combined cycle)*	6.5	6.5	6.5	6,7	6,7	
CO <sub>2</sub> emission – combined (g/km)*	172	172	172	174	174	
Top speed km/h	157	157	157	165	180	
Adblue® Injector	-	-	-	Std	Std	
STEERING						
Type: rack-and-pinion steering with rack-mounted power assisted	Std	Std	Std	Std	Std	
Hydaulic Power-Assisted Steering (HPAS)	Std	Std	Std	Std	Std	
Turning circle (kerb-to-kerb) (m)	12.2	12.8	11.6	13	11,8	
Turning circle (wall-to-wall) (m)	12.8	13.4	12.8	13,5	12,3	
SUSPENSION						
Front suspension: independent MacPherson struts, variable-rate coil springs, stabiliser bar and gas-pressurised						
shock absorbers	Std	Std	Std	Std	Std	
Rear suspension: single leaf springs, gas-pressurised shock absorbers	Std	Std	Std	Std	Std	
Torque Vectoring Control (TVC)	Std	Std	Std	Std	Std	
BRAKES						
Front ventilated discs	288mm x 33mm	308mm x 33mm	288mm x 33mm	288mmx33mm	288mmx33mm	
Rear solid discs	288mm x 16mm	308mm x 16mm	288mm x 16mm	288mmx16mm	288mmx16mm	
	200111111111111111111111111111111111111	500Hill X TOHILL	200111111111111111111111111111111111111	20011111110111111	200111111110111111	
WHEELS AND TYRES	C) I					
16" Steel – 215/65 R16	Std	-	-	-	-	
16" Alloy – 215/65 R16	Opt	Std	Std	-	-	
17" Alloy - 215/60 R17C	-	-	-	Std	Std	
Tyre Pressure Monitoring System	Opt	Opt	Opt	Std	Std	
Spare wheel	Opt Std	Std	Std	Std	Std Std	
		-	-			
Spare wheel		-	-			
Spare wheel SAFETY AND SECURITY	Std	Std Std Std	Std Std Std	Std Std	Std	
Spare wheel SAFETY AND SECURITY Driver airbag	Std	Std Std Std Std Std	Std Std Std Std	Std Std	Std Std	
Spare wheel SAFETY AND SECURITY Driver airbag Passenger airbag	Std Std Std	Std Std Std Std Std	Std Std Std Std Std	Std Std Std Std Std Std	Std Std Std	
Spare wheel  SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags	Std Std Std Std	Std Std Std Std Std	Std Std Std Std	Std Std Std Std	Std Std Std Std	
Spare wheel  SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes:	Std Std Std Std Std	Std Std Std Std Std	Std Std Std Std Std	Std Std Std Std Std Std	Std Std Std Std Std	
Spare wheel  SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat	Std Std Std Std Std	Std Std Std Std Std	Std Std Std Std Std	Std Std Std Std Std Std	Std Std Std Std Std	
Spare wheel  SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes:  - Anti-lock Braking System (ABS)  - Electronic Brakeforce Distribution (EBD)  - Hill Launch Assist (HLA)	Std Std Std Std Std	Std Std Std Std Std	Std Std Std Std Std	Std Std Std Std Std Std	Std Std Std Std Std	
Spare wheel  SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes:  - Anti-lock Braking System (ABS)  - Electronic Brakeforce Distribution (EBD)  - Hill Launch Assist (HLA)  - Adaptive Load Control	Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std Std	
Spare wheel  SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes:  - Anti-lock Braking System (ABS)  - Electronic Brakeforce Distribution (EBD)  - Hill Launch Assist (HLA)  - Adaptive Load Control  - Emergency Brake Warning - Rollover Mitigation (ROM)	Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std Std	
Spare wheel  SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes:  - Anti-lock Braking System (ABS)  - Electronic Brakeforce Distribution (EBD)  - Hill Launch Assist (HLA)  - Adaptive Load Control  - Emergency Brake Warning  - Rollover Mitigation (ROM)  - Emergency Brake Assist (EBA)	Std Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std	
Spare wheel  SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes: - Anti-lock Braking System (ABS) - Electronic Brakeforce Distribution (EBD) - Hill Launch Assist (HLA) - Adaptive Load Control - Emergency Brake Warning - Rollover Mitigation (ROM) - Emergency Brake Assist (EBA)  Trailer Sway Control (TSC) (activated when towbar fitted at Ford Dealer)	Std Std Std Std Std Std Std Std Std Opt	Std Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Opt	Std Std Std Std Std Std Std Std Std Opt	
Spare wheel  SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes:  - Anti-lock Braking System (ABS)  - Electronic Brakeforce Distribution (EBD)  - Hill Launch Assist (HLA)  - Adaptive Load Control  - Emergency Brake Warning  - Rollover Mitigation (ROM)  - Emergency Brake Assist (EBA)  Trailer Sway Control (TSC) (activated when towbar fitted at Ford Dealer)  Centre high-mounted rear stop lamp	Std	Std	Std Std Std Std Std Std Std Std Std	Std Std Std Std Std Std Std Opt Std	Std Std Std Std Std Std Std Std Opt Std	
Spare wheel  SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  ISOFIX child seat — 3 attachments — centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) — Includes: — Anti-lock Braking System (ABS) — Electronic Brakeforce Distribution (EBD) — Hill Launch Assist (HLA) — Adaptive Load Control — Emergency Brake Warning — Rollover Mitigation (ROM) — Emergency Brake Assist (EBA)  Trailer Sway Control (TSC) (activated when towbar fitted at Ford Dealer)  Centre high-mounted rear stop lamp  Remote power central double locking	Std	Std	Std	Std	Std	
SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  Side airbags  ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes: – Anti-lock Braking System (ABS) – Electronic Brakeforce Distribution (EBD) – Hill Launch Assist (HLA) – Adaptive Load Control – Emergency Brake Warning – Rollover Mitigation (ROM) – Emergency Brake Assist (EBA)  Trailer Sway Control (TSC) (activated when towbar fitted at Ford Dealer)  Centre high-mounted rear stop lamp  Remote power central double locking  Key-release Boot open	Std	Std	Std	Std	Std	
SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  Side airbags  ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes: – Anti-lock Braking System (ABS) – Electronic Brakeforce Distribution (EBD) – Hill Launch Assist (HLA) – Adaptive Load Control – Emergency Brake Warning – Rollover Mitigation (ROM) – Emergency Brake Assist (EBA)  Trailer Sway Control (TSC) (activated when towbar fitted at Ford Dealer)  Centre high-mounted rear stop lamp  Remote power central double locking  Key-release Boot open  Perimeter anti-theft alarm	Std	Std	Std	Std	Std	
SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags  Side airbags  ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes: – Anti-lock Braking System (ABS) – Electronic Brakeforce Distribution (EBD) – Hill Launch Assist (HLA) – Adaptive Load Control – Emergency Brake Warning – Rollover Mitigation (ROM) – Emergency Brake Assist (EBA)  Trailer Sway Control (TSC) (activated when towbar fitted at Ford Dealer)  Centre high-mounted rear stop lamp  Remote power central double locking  Key-release Boot open  Perimeter anti-theft alarm  Drive-away locking with crash unlocking	Std	Std	Std	Std	Std	
SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags Side airbags Side airbags ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes: – Anti-lock Braking System (ABS) – Electronic Brakeforce Distribution (EBD) – Hill Launch Assist (HLA) – Adaptive Load Control – Emergency Brake Warning – Rollover Mitigation (ROM) – Emergency Brake Assist (EBA)  Trailer Sway Control (TSC) (activated when towbar fitted at Ford Dealer)  Centre high-mounted rear stop lamp  Remote power central double locking  Key-release Boot open  Perimeter anti-theft alarm  Drive-away locking with crash unlocking  Key-release bonnet	Std	Std	Std	Std	Std	
SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags Side airbags Side airbags Side airbags Side sirbags	Std	Std	Std	Std	Std	
SAFETY AND SECURITY  Driver airbag  Passenger airbag  Curtain airbags Side airbags Side airbags ISOFIX child seat – 3 attachments – centre (second and third row) and driver's side (second row) seat  Electronic Stability Programme (ESP) – Includes: – Anti-lock Braking System (ABS) – Electronic Brakeforce Distribution (EBD) – Hill Launch Assist (HLA) – Adaptive Load Control – Emergency Brake Warning – Rollover Mitigation (ROM) – Emergency Brake Assist (EBA)  Trailer Sway Control (TSC) (activated when towbar fitted at Ford Dealer)  Centre high-mounted rear stop lamp  Remote power central double locking  Key-release Boot open  Perimeter anti-theft alarm  Drive-away locking with crash unlocking  Key-release bonnet	Std	Std	Std	Std	Std	

<sup>\*</sup>Fuel economy and emission figures obtained from controlled tests on a combined cycle. Note that the actual fuel consumption and emission will depend on many factors including your driving habits, prevailing conditions and your vehicles equipment, condition and use.


	мт				
TOURNEO CUSTOM (BUS)	2.2 Ambiente LWB LP	2.2 Trend LWB MP	2.2 Limited SWB HP	2.0 Trend LWB MP	2.0 Limited SWB HP
INTERIOR					'
Seats					
Standard front and rear cloth seats	Std	Std	-	Std	Std
Leather" – front and rear seats  Driver seat armrest	- Std	Std	Std Std	Std	Std
Passenger seat armrest	-	Std	Std	Std	Std
Driver seat with lumbar support Passenger seat with lumbar support	Std -	Std -	Std Std	Std -	Std Std
Driver and passenger heated seat	Std	Std	Std	Std	Std
Driver seat – 4-way manually adjustable with cushion tilt	Std	Std	-	Std	-
Driver seat – 10-way adjustable  Passengers seat – 4-way manually adjustable with cushion tilt	- Std	- Std	Std Std	- Std	Std Std
Front 2-way head restraints	Std	Std	Std	Std	Std
Rear seats – second row, triple wide seats (2+1), foldable and detachable  Rear seats – second row, single seats (3), foldable and detachable	Std -	Std -	Std -	- Std	- Std
Rear seats – second row, single seats (3), roldable and detachable  Rear seats – third row, triple wide seats (2+1), foldable and detachable	Std	Std	Std	Std	-
Rear seats – Third row, single seats (3), foldable and detachable	-	-	-	-	Std
Rear seat recline with second row armrests  Rear Center Table - Second Row	-	Std -	Std -	Std Std	Std Std
Rear Center Table - Third Row	-	-	-	-	Std
Seatbelt - black	Std	Std	Std	Std	Std
Occupant Restraints  Front and rear 3-point seatbelts with pre-tensioners and load limiter	Std	Std	Std	-	-
Beltminder – driver and passenger seats	Std	Std	Std	Std	Std
Windows			-::		-: :
Power Front Window - 1 Touch Up/Down - Driver only  Power Front Window - 1 Touch Up/Down - Passenger	Std -	Std -	Std	Std Std	Std Std
Electric windshield defroster	Opt	Std	Std	Std	Std
Interior Floor					
Complete floor cover – rubber-insulated, easy-clean	Std	-	-	-	-
Complete floor cover – carpet Interior Roof	-	Std	Std	Std	Std
Driver and passenger sun visor with illuminated vanity mirror	Std	Std	Std	Std	Std
Front driver and passenger folding grab handles	Std	Std	Std	-	-
Front passenger folding grab handle	-	-	-	Std	Std
Overhead console  Driver sunglass holder	Std Std	Std Std	Std Std	Std Std	Std Std
Rear coat hooks	Std	Std	Std	Std	Std
Window blinds – rear sides	-	-	Std	-	Std
Stowage	C. I.	C. I	51.1	51.1	C) I
Storage compartment – driver's side on facia top with lift-up lid  Bottle holder – twin 2-litre bottle capacity, facia-mounted	Std Std	Std Std	Std Std	Std Std	Std Std
Load compartment – x2 tie-down loops	-	-	Std	-	-
Load compartment – x4 tie-down loops	Std	Std	-	Std	Std
Glovebox Locking glovebox	Std -	- Std	- Std	- Std	- Std
Environmental Control	-	3tu	Siu	Siu	Stu
Manual air conditioning – front, filter-air pollen purifier	Opt	Opt	Std	Opt	Std
Rear seat climate control	Opt	Opt	Std	Opt	Std
Gearshift Leather gearknob®	-	Std	Std	Std	Std
Moulded gearknob	Std	-	-	-	-
Steering Wheel					
Steering wheel – 4-spoke, leather <sup>o</sup> Dual note electric horn	Std Std	Std Std	Std Std	Std Std	Std Std
INSTRUMENTS AND CONTROLS	Stu	Stu	Stu	Stu	Stu
Trip computer (distance to empty, instanteous and average fuel consumption, average speed, outside	Std	Std	Std	Std	Std
temperature)					
12V power point – front  12V power point – rear	Opt Std	Opt Std	Opt Std	Std Std	Std Std
Power point socket – 12V Driver Storage	-	- Jtu	-	Std	Std
Power point socket - 230V	-	-	-	Opt	Opt
In-Car Entertainment (ICE)	Ctd	Ctd	Ct-1		
Radio; 6 speakers; steering-wheel-mounted audio controls; USB connector; Aux input; Bluetooth®  SYNC®3 with; 10 radio speakers; 8' touch screen; steering wheel mounted audio controls; 8 USB connectors; DAB	Std -	Std -	Std -	- Opt	- Std
SYNC 3 Lite; 10 radio speakers; 4' screen; steering wheel mounted audio controls; 8 USB connectors	-	-	-	Std	-
Cruise Control					
Cruise control  Adoptive Cruise Control with Lane Keeping Aid Lane Departure Warning and Collision Mitigation	Std	Std	Std -	Std	Std
Adaptive Cruise Control with Lane Keeping Aid, Lane Departure Warning and Collision Mitigation  Blind Spot Detection (BLIS) with Cross Traffic Alert and Trailer Coverage	-	-	-	Opt Opt	Opt Opt
Adjustable speed limiter device (ASLD)	Std	Std	Std	Std	Std
Steering-wheel-mounted controls	Std	Std	Std	Std	Std
INTERIOR LIGHTING					
Courtesy lights – header-mounted, front with theatre-dimming + map lights  Rear seats courtesy lights with theatre-dimming + map lights	Std Std	Std Std	Std Std	Std Std	Std Std
Load space compartment lights	Std	Std	Std	Std	Std
Battery saver – 30 minutes	Std	Std	Std	Std	Std
Standard rear-view mirror	Std	Std	Std	Std	Std
					1
Rear-view camera (appears in rear-view mirror)	-	Opt	Std		
	- Std	Opt Std	Std	Std	Std

EMERICAN CONT.)			MT		AT		
Bernes (Book Full Length*   -	TOURNEO CUSTOM (BUS)					2.0 Limited SWB HP	
Section   Sect	EXTERIOR (CONT.)						
Documents-  State of eliminator and integrated sold indicators   Stat	•	-	-	-	Opt	Opt	
Decements — power delignation power folding — below (rotation of the provision of the pro	Doors – rear tailgate with wash/wipe	Std	Std	Std	Std	Std	
December	Door mirrors – blind spot eliminator and integrated side indicator	Std	Std	Std	Std	Std	
Behyden monitages - party   Sold	Door mirrors – power-adjustable, power folding – black	Std	-	-	-	-	
Belgorisher mountarings - Looky colour	Door mirrors – power-adjustable, power folding – body colour	-	Std	Std	Std	Std	
First turnings		Std	Std	-	Std	-	
Final transflags	,						
Rear mutilizant							
Hologon handbarrace	·						
High Treats y Dechange (HID) Lanes with static bending and LED Bay Time Running Lights	· · · · · · · · · · · · · · · · · · ·	· ·					
Auto headings control of   Stid			Sta	Sta			
Power windows with thriver's one fount functionality			- Ont	-	· · · · · · · · · · · · · · · · · · ·	·	
Liftgratis Part Agricults							
Mindows	· · · · · · · · · · · · · · · · · · ·						
Windows-   Ender   Development   Still   Sti							
Manual handarma levelling   Stid							
Departmen number gibbs							
Follow-ren-home handlams (courtery delay, 30 seconds duration)							
Final foolgalangs							
Fint folglisht with adaptive cornering							
Variable windshield wopers   Stid   Stid   Stid   Stid   Stid   Opt					Std	Std	
Table to wattachments		Std	Std	Std			
Different   Stid	· · · · · · · · · · · · · · · · · · ·				Opt	Opt	
DMESTICONS (IMM) - EXTERIOR	Roof rack*		Opt	Std	Opt	Opt	
Deeall length — A	Privacy glass	Opt	Std	Std	Std	Std	
Overall width with mirrors — B         2,277         2,277         2,277         2,277         2,277         2,277         2,277         2,277         2,278         2,278         2,278         2,278         2,278         2,278         2,289         2,080         <	DIMENSIONS (MM) – EXTERIOR						
Overall width with folded back mirrors — K   2080	Overall length – A	5 339	5 339	4 972	5 340	4 973	
Decall Neight (Height dimensions show the range from minimum to maximum of a fully laden vehicle to round design (Height dimensions show the range from minimum to maximum of a fully laden vehicle to round design (Height dimensions show the range from minimum to maximum of a fully laden vehicle to round design (Height dimensions show the range from minimum to maximum of a fully laden vehicle to round design (Height dimensions show the range from minimum to maximum of a fully laden vehicle to rear wheel centre — D	Overall width with mirrors – B	2 272	2 272	2 272	2 272	2 272	
Decal Height (height dimensions show the range from minimum to maximum of a fully laden vehicle to unitaden vehicle) - C   1909 - 2 022   1909 - 2 022   1900 - 2 020   1954 - 1977   1995 - 1995 -	Overall width with folded back mirrors	2 080	2 080	2 080	2 080	2 080	
Unidade vehicle  - C						1986	
Meeblase - E		1909 – 2022	1909 – 2 022	1900 – 2 020	1 954-1 977	1 995-1 997	
Pront of vehicle to front wheel centre - D		3 300	2 200	2 022	2 200	2 022	
Rear of vehicle to rear wheel centre — F							
Side door entry width – 6         1030         1030         1030         930         930           Side load door entry height – L         1292         1293         1297							
Side load door entry height – L							
Rear taligate entry width — H	•						
Rear tallgate entry height — J   1297   12							
Front track	• ,						
Rear track						1736	
Top						1720	
The common of the arrange   The common of the common of the arrange   The common of the arrange   The common of						231-277	
DIMENSIONS (MM) - INTERIOR   1390   1390   1390   1351	Ground clearance at front axle	159 – 176	159 – 176	160 – 175	159 - 176	160 - 175	
Luggage space between wheel arches – I         1390         1390         1390         1351         1351           Load floor to roof – M         1406         1406         1406         1406         1294         1294           Loading height (height dimensions show the range from minimum to maximum of a fully laden vehicle to unladen vehicle) – O         457 – 589         457 – 589         450 – 583         457 - 589         450 – 583         457 - 589         450 – 583         457 - 589         450 – 583         457 - 589         450 – 583         457 - 589         450 – 583         457 - 589         450 – 583         457 - 589         450 – 583         457 - 589         450 – 583         457 - 589         450 – 583         457 - 589         450 – 583         450 – 583         450 – 583         457 - 589         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         450 – 583         240         600         600 – 600 – 600 – 600 – 600 – 600 – 600 – 600 – 600 – 600 – 600 – 600 – 600 – 600 – 600 – 600 – 600 – 800 – 80 – 8	Ground clearance at rear axle	119 – 137	119 – 137	118 – 137	119 - 137	118 - 137	
Load floor to roof - M	DIMENSIONS (MM) – INTERIOR						
Loading height (height dimensions show the range from minimum to maximum of a fully laden vehicle ) — 0         457 – 589         450 – 583         245         240         240         240         240         240         245         245         238         245         238         245         238         245         238         245         248         240         240         240         240         240         240         240         240         240         240         240         240         <	Luggage space between wheel arches – I	1390	1390	1390	1351	1 351	
unladen vehicle) – 0         Unladen vehicle) – 0         Image: Colspan="4" of the property of t	Load floor to roof – M	1406	1406	1406	1294	1294	
Gross vehicle mass (kg)         3 000         3 000         3 000         3 240         3 240           Ground clearance         238         238         245         238         245           Wading depth         600         600         600         600         600         600           Gross combined mass (kg)         4 400         4 600         4 600         4 240         4 240           Fuel tank capacity (L         80		457 – 589	457 – 589	450 – 583	457-589	450-583	
Ground clearance         238         238         245         238         245           Wading depth         600         80	DIMENSIONS – OTHER						
Wading depth         600         600         600         600         600           Gross combined mass (kg)         4400         4600         4600         4240         4240           Fuel tank capacity (L         80 <td< td=""><td>Gross vehicle mass (kg)</td><td>3 000</td><td>3 000</td><td></td><td>3 240</td><td>3 240</td></td<>	Gross vehicle mass (kg)	3 000	3 000		3 240	3 240	
Gross combined mass (kg)         4 400         4 600         4 600         4 240         4 240           Fuel tank capacity (L         80							
Fuel tank capacity (L         80         80         80         80         80           Kerb weight (kg)         2 085         2 085         2 061         2 408         2 420           Gross payload (kg)         915         915         939         786         820           Towing mass (braked) (kg)         1 400         1 600         1 600         1 000         950           Towing mass (unbraked) (kg)         750         750         750         750         750           FORD PROTECT           Service Intervals         15 000km         15 000km         15 000km         15 000km         15 000km         15 000km         4-yr/unlimited km						600	
Kerb weight (kg)         2 085         2 085         2 061         2 408         2 420           Gross payload (kg)         915         915         939         786         820           Towing mass (braked) (kg)         1 400         1 600         1 600         1 000         950           Towing mass (unbraked) (kg)         750         750         750         750         750           FORD PROTECT           Service Intervals         15 000km         15 000km         15 000km         15 000km         15 000km         15 000km         4-yr/unlimited km         4-yr/120 000km	1 07					4 240	
Gross payload (kg)         915         915         939         786         820           Towing mass (braked) (kg)         1400         1600         1600         1000         950           Towing mass (unbraked) (kg)         750         750         750         750         750           FORD PROTECT           Service Intervals         15 000km         15 000km         15 000km         15 000km         15 000km         15 000km         4-yr/unlimited km         4-yr/120 000km         4-yr/120 000km <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<>							
Towing mass (braked) (kg)         1400         1600         1600         1000         950           Towing mass (unbraked) (kg)         750         7	0 10					2 420	
Towing mass (unbraked) (kg)         750<	. ,						
FORD PROTECT           Service Intervals         15 000km         4 5000km         15 000km         15 000km         15 000km         15 000km         4 5000km         4 5							
Service Intervals         15 000km         4-yr/unlimited km         4-yr/unlimited km         4-yr/unlimited km         4-yr/unlimited km         4-yr/unlimited km         4-yr/unlimited km         4-yr/120 000km         4-yr/1		750	750	750	750	750	
Roadside Assistance         4-yr/unlimited km         4-yr/120 000km         4-yr/12							
Warranty (NVLW) 4-yr/120 000km 4-yr/120 000km 4-yr/120 000km 4-yr/120 000km 4-yr/120 000km 4-yr/120 000km						15 000km	
			-	-		4-yr/unlimited ki	
Corrosion Warranty   5-yr/unlimited km   5-yr/						4-yr/120 000km	
Service Plan Opt Opt Opt Opt Opt Opt	•	-	-	-	-	5-yr/unlimited kr Opt	

All Transit and Tourneo derivatives retailed on or after 01 November 2021 will not have a service plan included in the vehicle in line with the Competition Commission's Guidelines for the Automotive Aftermarket Industry. Service and maintenance plans can be purchased directly from the Finance and Insurance Manager at any Ford Authorised dealership.

Ford reserves the right, subject to all applicable laws, to discontinue or change features and other specification either temporarily or permanently without incurring any liability to any prospective purchaser or purchasers.

\*Roof Rack and extended running boards are included in as one option pack for automatic models. Consult the vehicle handbook, www.ford.co.za or your nearest Ford Dealer for more information regarding Ford PROTECT plans and products. E and OE. **Printed June 2022.** 



TRANSIT VAN	VAN			
	2.2 TDCi (MWB)	2.2L TDCi (ELWB)		
ENGINE				
Туре	2.2 Duratorq TDCi	2.2 Duratorq TDCi		
Cylinders	Inline 4-cylinders	Inline 4-cylinders		
Displacement (cm³)	2 198	2198		
Power (kW)	92	114		
Torque (Nm)	350	385		
Fuel requirement  Discal particulate filter	Diesel Std	Diesel Std		
Diesel particulate filter TRANSMISSION	Sta	Sta		
Type	6-speed manual	6-speed manual		
Final drive	4.71	4.10		
WHEELS AND TYRES				
235/65 R16 – Steel wheel	Std	-		
195/75 R16 – Steel wheel – (Dual rear wheel)	-	Std		
Styled wheel covers	Std	Std		
Spare wheel – Steel wheel	Std	Std		
STEERING				
Type: rack and pinion with rack-mounted power-assisted	Std	Std		
Turning circle (kerb-to-kerb) (m)	11.9	13.3		
PERFOMANCE AND ECONOMY				
Fuel economy – combined cycle (NEDC L/100km)**	7.6	9.3		
CO <sub>2</sub> emission – (combined [g/km])**	201	244		
SUSPENSION				
Front: Independent MacPherson struts, variable-rate coil springs, stabiliser bar and gas pressurised shock absorbers	Std	Std		
Rear suspension: single leaf springs, gas pressurised shock absorbers	Std	Std		
BRAKES	Sta	3.0		
Front ventilated discs	Std	Std		
Rear solid discs	Std	Std		
Emergency brake warning	Std	Std		
Anti-lock Bracking System (ABS) with Electronic Brakeforce Distribution (EBD)	Std	Std		
Emergency Brake Assist (EBA)	Std	Std		
SAFETY AND SECURITY				
Driver airbag	Std	Std		
Electronic Stability Programme (ESP)	Std	Std		
Hill Launch Assist (HLA)	Std	Std		
Traction control Traction control	Std	Std		
Rollover Mitigation (ROM)	Std	Std		
Centre high-mounted rear stop lamp	Std	Std		
Power door deadlocks – shielded	Std	Std		
Door entry remote – multi-channel – (rechargeable – 1 key fob and 1 plain key)  Rear doors mounted with lock/unlock switch	Std Std	Std Std		
Drive-away locking with crash unlocking	Std	Std		
Door auto-relocking enabled – (45 seconds conditional)	Std	Std		
Two-stage unlocking with configurable unlocking config	Std	Std		
Perimeter anti-theft alarm	Std	Std		
COMFORT AND CONVENIENCE				
Radio with single AM/FM antenna, 2 front speakers, 2 tweeters	Std	Std		
USB port, Bluetooth <sup>®</sup> and Voice Control	Std	Std		
Steering-wheel-mounted audio controls	Std	Std		
Auxiliary input	Std	Std		
Manual Aircon	Opt	Opt		
EXTERIOR				
180° opening rear doors	Std	-		
270° opening rear doors (including magnetic door retentioners)	-	Std		
Headlamps – projector-style halogen reflector lights (quad-beam)	Std	Std		
Manual headlamp levelling	Std	Std		
Follow-me-home lighting	Std	Std		
INTERIOR AND LOAD CRACE				
INTERIOR AND LOAD SPACE				
2 x 12V power points	Std	Std		
2 x 12V power points Standard cloth seats	Std	Std		
2 x 12V power points Standard cloth seats Front driver 3-point seatbelt with pre-tensioners	Std Std	Std Std		
2 x 12V power points Standard cloth seats Front driver 3-point seatbelt with pre-tensioners Front passenger 3-point seatbelts with load limiter	Std Std Std	Std Std Std		
2 x 12V power points  Standard cloth seats  Front driver 3-point seatbelt with pre-tensioners  Front passenger 3-point seatbelts with load limiter  Front power windows with driver one-touch up/down functionality	Std Std Std Std Std	Std Std Std Std		
2 x 12V power points Standard cloth seats Front driver 3-point seatbelt with pre-tensioners Front passenger 3-point seatbelts with load limiter	Std Std Std	Std Std Std		

<sup>\*\*</sup>The declared fuel consumption and CO2 emissions figures were achieved during technical laboratory testing in accordance with the legislated technical specifications (SANS 20101: 2006/ECE R101: 2005 as last amended) and validated and approved by the UK Vehicle Certification Authority (VCA). Fuel consumption and CO2 emissions figures are used to compare different vehicle types under uniform conditions, and are not necessarily indicative of real-life driving conditions. Note that the actual fuel consumption and emissions levels will depend on many factors and are directly affected by the length of the journey; number of passengers and the amount of luggage carried; individual driving style; road conditions; weather conditions; vehicle age, mileage, condition and standard of maintenance; use of vehicle features such as air conditioning; and any modifications to the vehicle. Your fuel economy will vary based on these and other factors and, for these reasons, many drivers may not achieve the EU fuel economy figures in day-to-day driving, although the vehicle is technically capable of doing so.

TRANSIT VAN	VAN	
	2.2LTDCi (MWB)	2.2L TDCi (ELWB)
DIMENSIONS – EXTERIOR		
Overall length (mm)	5 530	6704
Overall width – with mirrors (mm)	2 474	2 474
Wheel base (mm)	3300	3750
Sliding door width (mm)	1300	1300
liding door aperture height (mm)	1700	1600
Rear door width (mm)	1565	1565
Rear door aperture height (mm)	1748	1887
ront track (mm)	1732	1740
lear track (SRW) (mm)	1743	-
lear track (DRW) (mm)	-	1670
DIMENSIONS – INTERIOR		
Max load length @ floor (no Bulkhead) (mm)	3 200	4 373
Max load length @ floor (with Bulkhead) (mm)	3 044	4 217
fax load length @ 1.2m high (with Bulkhead) (mm)	2 900	4 073
lax load width (mm)	1784	1784
oad space between wheel arches (mm)	1390	1154
oad floor to roof (mm)	1886	2 025
oadspace (max load) (m³)	10	15.1
oadspace (SAE method) (m³)	9.1	13.5
oadspace (VDA method) (m³)	9.3	14.1
IMENSIONS – OTHER		
ross Vehicle Mass (GVM) (kg)	3 300	4700
ross Combined Mass (GCM) (kg)	5 325	7000
uel tank capacity (L)	80	80
erb weight (kg)	1900	2 355
ross payload (kg)	1325	2 270
owing mass (braked) (kg)	2800	3 500
owing mass (unbraked) (kg)	750	750
ORD PROTECT		
ervice Intervals	15 000km	15 000km
ervice Plan	Opt	Opt
oadside Assistance	4-yr/unlimited km	4-yr/unlimited km
omprehensive Warranty	4-yr/120 000km	4-yr/120 000km
orrosion Warranty	5-yr/unlimited km	5-yr/unlimited km
PTIONS AVAILABLE AT EXTRA COST		
railer tow attachments (including trailer sway control and trailer brake controller)	Opt	Opt
omfort Pack (front manual airconditioner and passenger airbag)	Opt	Opt
Rear-view camera with front and rear parking distance sensors	Opt	Opt

All Transit and Tourneo derivatives retailed on or after 01 November 2021 will not have a service plan included in the vehicle in line with the Competition Commission's Guidelines for the Automotive Aftermarket Industry. Service and maintenance plans can be purchased directly from the Finance and Insurance Manager at any Ford Authorised dealership.

		CHASSIS CAB
TRANSIT CHASSIS CAB	2.2LTDCi (MWB)	2.2L TDCi (ELWB)
ENGINE		
Type	2.2 Duratorg TDCi	2.2 Duratorg TDCi
Cylinders	Inline 4-cylinders	Inline 4-cylinders
Displacement (cm³)	2 198	2198
Power (kW)	92	114
Torque (Nm)	350	385
Fuel requirement	Diesel	Diesel
Diesel particulate filter	Std	Std
TRANSMISSION		
Туре	6-speed manual	6-speed manual
Final drive	4.71	4.10
WHEELS AND TYRES	511	
235/65 R16C – Steel wheel	Std -	-
195/75 R16C – Steel wheel – dual rear wheel Styled wheel covers	-	Std Std
Spare wheel – Steel wheel	- Std	Std
STEERING	Stu	Siu
Type: rack and pinion with rack-mounted power-assisted	Std	Std
Turning circle (kerb-to-kerb) (m)	11.9	13.3
PERFORMANCE		
Fuel economy – combined cycle (NEDC L/100km)**	7.6	9.3
CO <sub>2</sub> emission – (combined [g/km])**	201	244
SUSPENSION		
Front: Independent MacPherson struts, variable-rate coil springs, stabiliser bar and gas	Std	Std
pressurised shock absorbers		
Rear suspension: single leaf springs, gas pressurised shock absorbers	Std	Std
BRAKES		
Front ventilated discs	Std	Std
Rear solid discs	Std	Std
Emergency brake warning  Anti-leaf Draking System with Electronic Proleoforce Dictribution	Std Std	Std
Anti-lock Braking System with Electronic Brakeforce Distribution  Emergency Brake Assist (EBA)	Std	Std Std
SAFETY AND SECURITY	Stu	Siu
Driver airbag	Std	Std
Electronic Stability Programme (ESP)	Std	Std
Hill Launch Assist (HLA)	Std	Std
Traction control Traction control	Std	Std
Rollover Mitigation (ROM)	Std	Std
Power door deadlocks – shielded	Std	Std
Door entry remote – multi-channel – (rechargeable – 1 key fob and plain key)	Std	Std
Drive-away locking with crash unlocking	Std	Std
Door auto-relocking enabled – 45 seconds conditional	Std	Std
Perimeter anti-theft alarm	Std	Std
COMFORT AND CONVENIENCE		
Radio with single AM/FM antenna, 2 front speakers, 2 tweeters	Std	Std
USB port, Bluetooth <sup>®</sup> and Voice Control	Std	Std
Steering-wheel-mounted audio controls	Std	Std
Auxiliary input	Std	Std
Manual Aircon	Opt	Opt
INTERIOR  2 x 12V power points	Std	Std
Partial floor cover – rubber insulated easy-clean (or similar)	Std	Std Std
EXTERIOR	Siu	Stu
Side marker lamps	Std	Std
Door handles – self colour	Std	Std
Front bumper – partial body colour	Std	Std
Rear bumper underrun bar	Std	Std
Grille – self colour	Std	Std
Rear mudflaps	Std	Std
Wipers – front, variable/intermittent with electric wash	Std	Std
Roof mounted light	-	Std
		e. I
Headlamps – projector-style halogen reflector lights (quad-beam)	Std	Std
Headlamps – projector-style halogen reflector lights (quad-beam)  Manual headlamp levelling	Std Std	Std Std

<sup>\*\*</sup>The declared fuel consumption and CO<sub>2</sub> emissions figures were achieved during technical laboratory testing in accordance with the legislated technical specifications (SANS 20101: 2006/ECE R101: 2005 as last amended) and validated and approved by the UK Vehicle Certification Authority (VCA). Fuel consumption and CO<sub>2</sub> emissions figures are used to compare different vehicle types under uniform conditions, and are not necessarily indicative of real-life driving conditions. Note that the actual fuel consumption and emissions levels will depend on many factors and are directly affected by the length of the journey; number of passengers and the amount of luggage carried; individual driving style; road conditions; weather conditions; vehicle age, mileage, condition and standard of maintenance; use of vehicle features such as air conditioning, and any modifications to the vehicle. Your fuel economy will vary based on these and other factors and, for these reasons, many drivers may not achieve the EU fuel economy figures in day-to-day driving, although the vehicle is technically capable of doing so.

TRANSIT CHASSIS CAB	CHASSIS	CHASSIS CAB	
	2.2L TDCi (MWB)	2.2LTDCi (ELWB)	
DIMENSIONS (MM) – EXTERIOR			
Overall length (with float) (mm)	5 767	6 797	
Overall width (without float) DRW with mirrors (mm)	2 474	2 474	
Wheelbase (mm)	3 504	3 954	
Front track (mm)	1732	1740	
Rear track (SRW) (mm)	1743	-	
Rear track (DRW) (mm)	-	1 670	
DIMENSIONS - OTHER			
Gross Vehicle Mass (GVM) (kg)	3 300	4700	
Gross Combined Mass (GCM) (kg)	5 000	7 000	
Fuel tank capacity (L)	80	80	
Kerb weight (kg)	1628	1934	
Gross payload without float (kg)	1597	2 691	
Towing mass (braked) (kg)	2800	3 500	
Towing mass (unbraked) (kg)	750	750	
FORD PROTECT			
Service Intervals	15 000km	15 000km	
Service Plan	Opt	Opt	
Roadside Assistance	4-yr/unlimited km	4-yr/unlimited km	
Warranty (NVLW)	4-yr/120 000km	4-yr/120 000km	
Corrosion Warranty	5-yr/unlimited km	5-yr/unlimited km	
OPTIONS AVAILABLE AT EXTRA COST			
Standard aluminium wide float	Opt	Opt	
Comfort Pack (front manual airconditioner and passenger airbag)	Opt	Opt	

All Transit and Tourneo derivatives retailed on or after 01 November 2021 will not have a service plan included in the vehicle in line with the Competition Commission's Guidelines for the Automotive Aftermarket Industry. Service and maintenance plans can be purchased directly from the Finance and Insurance Manager at any Ford Authorised dealership.